

Robert O Young DSc, PhD, Naturopathic Practitioner 🖬 🛛 Aug 20 👘 19 min read


:

Scanning & Transmission Electron Microscopy Reveals Graphene Oxide in CoV-19 Vaccines

Updated: 2 days ago

2021, August 20 Author: Robert O Young CPC, MSc, DSc, PhD, Naturopathic Practitioner www.drrberyoung.com

Phase Contrast Microscopy, Transmission and Scanning Electron Microscopy and Energy-Dispersive X-ray Spectroscopy Reveal the Ingredients in the CoV-19 Vaccines!



Germs Are Born In Us and From Us as an Outfection and NOT an Infection of the Body Cells. In other words germs are symptoms of cellular and genetic disorganization and NOT the specific cause of the cellular and genetic disorganization! The GERM is NOTHING and the TERRAIN is EVERYTHING. Germs can only contribute to a state of toxic imbalance but NEVER cause ANY specific sickness or disease![55] - Dr. Robert O. Young



vaccine. These manufactures and their vaccine are rtizer-BioNTech mRNA Vaccine, the Moderna-Lonza mRNA-1273 Vaccine, the Serum Institute Oxford Astrazeneca Vaccine and the Janssen COVID -19 Vaccine, manufactured by Janssen Biotech Inc., a Janssen Pharmaceutical Company of Johnson & Johnson, a recombinant, replication-incompetent adenovirus type 26 expressing the SARS-CoV-2 spike protein. The intended purpose of these vaccines are to provide immunity from the so-called infectious novel coronavirus or SARS-CoV - 2 virus now called the SARS-CoV - 19. These four pharmaceutical companies have not provided complete FDA disclosure on their vaccine box, insert fact sheet or label for many of the major and/or minor ingredients contained within these so-called vaccines. The purpose of this research article is to identify those specific major and minor ingredients contained in the **Pfizer Vaccine**, the Moderna Vaccine, the Astrazeneca Vaccine and the Janssen Vaccine using various scientific anatomical, physiological and functional testing for each SARS-COV-2-19 vaccine. As a human right, governed under World Law by the Nuremberg Code of 1947, the vaccine specific ingredient information is critical, required and necessary to know so that any human from any country in the World can make an informed decision whether or not to consent to the SAR-CoV-2-19 inoculation. We have conducted the scientific testing on each vaccine and have identified several ingredients or adjuvants that have not been disclosed which are contained in these four SARS-CoV - 2 -19 vaccines. Currently, these vaccines are being administered to millions of humans around the World under an Emergency Use Authorization (EUA) issued by each country without full disclosure of all ingredients and in some cases mandated by



ia Events (

Methodology and Techniques

Four "vaccines" were analyzed which are the Pfizer-BioNtech, Moderna-Lonza mRNA-1273 Vaccine, Vaxzevria by Astrazeneca, Janssen by Johnson & Johnson, using different instrumentation and protocols of preparation according to new nano particulate technological approaches. The different instrumentation includes Optical Microscopy, Bright-Field Microscopy, pHase Contrast Microscopy, Dark-Field Microscopy, UV absorbance and Fluorescence Spectroscopy, Scanning Electron Microscopy, Transmission Electron Microscopy, Energy Dispersive Spectroscopy, X-ray Diffractometer, Nuclear Magnetic Resonance instruments were used to verify the "vaccines" morphologies and contents. For the high-technology measurements and the care of the investigation, all the controls were activated and reference measurements adopted in order to obtain validated results.

Live Blood Phase Contrast and Dark-Field Microscopy

Images of the aqueous fractions of the vaccines were subsequently obtained to visually assess the possible presence of carbon particulates or graphene.

The observations under optical microscopy revealed and abundance of transparent 2D laminar objects that show great similarity with images from literature (Xu et al, 2019), and with images obtained from rGO standard (SIGMA) (Figures 1, 2 and 3).

Images of big transparent sheets of variable size and shapes were obtained, showing corrugated and flat, irregular.

pHase Contrast and Dark-Field microscopy (Figure 3).

All these laminar objects were widespread in the aqueous fraction of the blood (Figure 1) or vaccine sample (Figures 2 and 3) and no component described by the registered patent can be associated with these sheets.

In Figure 1 You Can See What A Cluster Bomb of Reduced Graphene Oxide (rGO) Looks Like in the Live Unstained Human Blood after a CoV-19 Inoculation Causing Pathological Blood Coagulation![1][2][55][56][57]




Figure 1 is a Micrograph of a Carbon Cluster of Reduced Graphene Oxide (rGO) Viewed in the Live Unstained Human Blood with pHase Contrast Microscopy at 1500x. Note that the Red Blood Cells are Clotting in and Around the rGO Crystal in a Condition Known as Rouleau! A French Word Which Means to Chain.






Figure 1a Micrograph under Phase Contrast Microscopy reveals the normal healthy state of the red blood cells which are even in color, even in shape and even in size. Red Blood cells in their healthy state measure anatomically 7 microns in diameter.




Figure 1b Micrograph taken under Phase Contrast Microscopy reveals the live blood 24 hours after the mRNA Vaccine now containing crystallized red blood cells, biological transformations of red and white blood cells, large symplasts of graphene oxide crystals center and Orotic acid crystals in the upper right hand corner of the micrograph.

What Are the Non-Disclosed Ingredients Contained in CoV -19 So-Called Pfizer, Moderna, Astrazeneca and Janssen Vaccines?



trom each vile and then viewed separately under pHase Contrast Microscopy at 100x, 600x up to1500x magnification showing anatomical evidence of **reduced Graphene Oxide (rGO) particulates which were compared to micrographs of rGO from Choucair et al, 2009 for identification and verification**.[3]

Steps of Analysis of Vaccine Aqueous Fractions

Refrigerated samples were processed under sterile conditions, using laminar flow chamber and sterilized lab ware.


Steps for analyses were:

1. Dilution in 0.9% sterile physiological saline (0.45 ml + 1.2 ml)

2. Polarity fractionation: 1.2 ml hexane + 120 ul of RD1 sample

3. Extraction of hydrophilic aqueous pHase

4. UV absorbance and fluorescence spectroscopy scanning



- 5. Extraction and quantification of RNA in the sample
- 6. Electron and optical microscopy of aqueous pHase

The Pfizer "Vaccine" Non-disclosed Ingredients

The micrographs in <u>Figures 2 and 3</u> were obtained using 100X, 600X and 1500X pHase Contrast, Dark Field and Bright Field Optical Microscopy.[3]

On the left of each micrograph you will view micrographs obtained from the Pfizer vaccine aqueous fraction containing rGO.

On the right of each micrograph ou will view a match from known sources containing rGO for anatomical validation.

The observations under a pHase Contrast, Dark-Field, Bright-Field microscopy, Transmission and Scanning Electron microscopy of the vaccine product by Pfizer, including vaccine products of Moderna, Astrazeneca and Janssen revealed some entities that can be graphene strips as seen below in Figure 3.



Figure 2 shows an aqueous fraction image from Pfizer vaccine sample (left) and from reduced graphene oxide (rGO) standard (right) (Sigma-777684). Optical microscopy, 100X




Figure 3 - Aqueous fraction images containing reduced graphene oxide from Pfizer vaccine sample (left) and sonicated reduced graphene oxide (rGO) standard (right) (Sigma -777684). Optical pHase contrast microscopy, 600X. In addition, the Muestra RD1, La Quinta Columna Report, June 28, 2021; Graphene Oxide Detection in Aqueous Suspension; Delgado Martin, Campra Madrid confirms our findings. [4]




Figure 4 shows the liposome Capsid containing rGO that Pfizer uses for its product to vehiculate the graphene oxide by attaching the Liposome capsid to specific mRNA molecules for driving the Liposome contents of fGO to specific organs, glands and tissues, namely the ovaries and testes, bone marrow, heart and brain. The image was obtained by a SEM-Cryo preparation.

For a definitive identification of graphene by TEM, it is necessary to complement the observation with the structural characterization by obtaining a characteristic electron diffraction standard sample (as the figure 'b' shown below). [4]

The standard sample corresponding to graphite or graphene has a hexagonal symmetry, and generally has several concentric hexagons.




Figure 4b Reveals X ray Diffraction Pattern of the Graphene Particles. [4]



sheets with a mixture of darker multilayer agglomerations and lighter colored of unfolded monolayers as seen in <u>Figure</u> <u>5. [3][4]</u>





Figure 5 shows a cluster of graphene nanoparticles in a Pfizer vaccine. They appear to be aggregated.

The darker linear areas in <u>Figure 5</u> appear to be local overlap of sheets and local arrangement of individual sheets in parallel to the electron beam.[5]

After the mesh, a high density of unidentified rounded and elliptical clear shapes appears, possibly corresponding to holes generated by mechanical forcing of the rGO mesh during treatment as seen in **Figure 6**.[4][5]





Events Case Studies

ia

Blog


The Immune Response to Dietary, Metabolic, Environmental and Inoculated Organic and Inorganic Micro and Nano Particulates

The bright orange blood crystal below is solidified uric acid from the ingestion of a high protein diet from animal flesh, blood and interstitial fluids. You will note that there are several neutrophils attempting to clean-up and remove this toxic mass. This is the main purpose of white blood cells to manage and maintain the delicate pH balance of the body fluids.



As you watch the video above you view two neutrophils (neutrophils make up 2/3rds of the total white blood count) swimming through the blood plasma. The neutrophil from the left is moving downward to pick up a biological transformation of a Y-form yeast, like Candida albicans. Within about one minute you will see this neutrophil expel this highly toxic Y-form yeast back into the blood plasma.






Two Neutrophils Streaming Through the Blood Plasma Picking up Pathogen or Biological Transformations of Bacteria and Yeast from Cellular Degeneration of What Use to be Healthy Body Cells.

This is the main function of neutrophils to pick up organic and non-organic micro and nano particulates, such as lactic acid, uric acid, bacteria, yeast, mold and even graphene oxide as seen in the micrograph below labeled GO to the right and a neutrophil labeled NET to the left.

Once again, the neutrophils are white blood cells attempting to isolate and then pick up and remove the graphene oxide, a toxic acidic pathogen which is contained in all CoV - 2 -19 so-called vaccines as seen in the Dark Field micrograph below!






The Dark Field Microscopy micrograph above is showing the graphene oxide (GO) and the poisoning and destruction of the neutrophils (NET - which make up over 60 percent of all white blood cells) which are designed to pick up and eliminate foreign toxic chemical waste and biologicals. The Scientists at KarlInska Institute, the University of Manchester , Chalmers University of Technology and the Scientific Team of Dr. Robert O. Young have shown that the human immune system handles graphene oxide in the same manner as bacteria, yeast or mold.

Energy-Dispersive X-ray Spectroscopy Reveals rGO in Pfizer Vaccine[5][6][7]

The Pfizer vaccine liquid fraction was then analyzed for chemical and elemental content using Energy-dispersive Xray spectroscopy (*EDS*) as seen in <u>Figure 6</u>. The EDS spectrum showed the presence of Carbon, Oxygen verifying the rGO elements and Sodium and Chloride since the sample shown in <u>Figures 2, 3, 5, and 6</u> were diluted in a saline solution.





j ia Events

The Quantification of mRNA in the Pfizer Vaccine

The quantification of RNA in the Pfizer sample was carried out with conventional protocols (Fisher).

According to NanoDropTM 2000 spectrophotometer calibration check specific software (Thermofisher), the UV absorption spectrum of total aqueous fraction was correlated to 747 ng/ul of unknown absorbing substances.

However, after RNA extraction with commercial kit (Thermofisher), quantification with RNA specific Qbit fluorescence probe (Thermofisher) showed that only 6t ug/ul could be related to the presence of RNA. The spectrum was compatible with the peak of rGO at 270nm.

According to microscopic images presented here, most of this absorbance might be due to graphene-like sheets, abundant in the fluids suspension in the sample.

The conclusions are further supported by high fluorescence from the sample with maximum at 340 nm, in accordance with peak values for rGO. It must be reminded that RNA does not show spontaneous fluorescence under UV exposure.




Figure 8 - UV spectrum of aqueous fraction of Pfizer vaccine sample.[1][2][3][5][6]

Ultra Violet Fluorescence Testing of the Pfizer Aqueous Fraction for Reduced Graphene Oxide (rGO)[6]

Ultra Violet absorption and fluorescence spectra were obtained with Cytation 5 Cell Imaging Multi-Mode Reader Spectrophotometer (BioteK). UV absorbance spectrum confirmed a maximum peak at 270nm, compatible with presence of rGO particulate.

UV fluorescence maximum at 340 nm also suggests presence of significant amounts of rGO in the sample (Bano et al, 2019).




Figure 9 - UV absorption and fluorescence spectra were obtained with Cytation 5 Cell Imaging Multi-Mode Reader Spectrophotometer (BioteK). UV absorbance spectrum confirmed a maximum peak at 270 nm, compatible with presence of rGO. UV fluorescence maximum at 340 nm also suggests presence of significant amounts of rGO in the sample (Bano et al, 2019).





Figure 10 - The spectroscopy UV analysis showed an adsorption due to the presence of reduced graphene oxide, which is confirmed by observation under ultraviolet visible microscopy.

Figures 11 and 12 below shows a micrograph of different micro and nano particulates which have been identified in the Pfizer, Moderna, Astrazeneca and Janssen, so-called "vaccines" and analyzed under an Environmental Scanning Electron Microscope (SEM) coupled with an x-ray microprobe of an Energy Dispersive System (EDS) that reveals the particle size, composition distribution and chemical nature of the observed micro and nano particulates under observation.[6][7][8]






Figure 12 shows a 20 micron in length particulate identified in the so-called Pfizer "vaccine". It is composed of carbon, oxygen chromium, sulphur, aluminum, chloride and nitrogen.

Figures 13 and 14 below shows a micrograph of different micro and nano particulates which have been identified in the Pfizer, Moderna, Astrazeneca and Janssen, so-called "vaccines" and analyzed under an Environmental Scanning Electron Microscope (SEM) coupled with an x-ray microprobe of an Energy Dispersive System (EDS) that reveals the particle size, composition distribution and chemical nature of the observed micro and nano particulates under observation.


Are There Parasites in the Pfizer "Vaccines"?

A 50 micron elongated body, as seen in <u>Figure 13</u> is a sharp mysterious presence in the Pfizer vaccine. It appears and is identified anatomically as a *Trypanosoma cruzi parasite of which several variants are lethal and is one of many causes of acquired immune deficiency syndrome or AIDS.*[Atlas of Human Parasitology, 4th Edition, Lawrence *Ash and Thomas Orithel, pages 174 to 178]*[9]





Figure 13 shows a Trypanosoma Parasite approximately 50 microns in length found in the so-called Pfizer "vaccine". It is composed of carbon, oxygen chromium, sulphur, aluminum, chloride and nitrogen.



A Live Blood pHase Contrast Microscopy Micrograph of Trypanosoma cruzi Parasite[9]

Figure 14 identifies a composition of nano particulates including carbon, oxygen chromium, sulphur, aluminum, chloride and nitrogen also found in the CoV-19 "vaccines."




Figure 13 Identifies a Composite of Nano particulates

Figures 15 and 16 below show a micrograph of different micro and nano particulates which have been identified and analyzed under an Environmental Scanning Electron Microscope (SEM) coupled with an x-ray microprobe of an Energy Dispersive System (EDS) that reveals the chemical nature of the observed micro and nano particulates and their morphology.

The white 2-micron-long particulate is composed of bismuth, carbon, oxygen, aluminum, sodium, copper and nitrogen.




Figure 15 shows nano and micron particulates identified in the Pfizer "vaccine". The white 2 micron long particulate is composed of bismuth, carbon, oxygen, aluminum, sodium, copper and nitrogen.




Figure 16 shows that the white 2 micron particulate found in the so-called Pfizer 'vaccine' is composed of bismuth, carbon, oxygen, aluminum, sodium, copper and nitrogen.

Figures 17 and 18 show the identification of organic carbon, oxygen and nitrogen particulates with an aggregate of embedded nanoparticles including bismuth, titanium, vanadium, iron, copper, silicon and aluminum which were all found in the so-called **Pfizer "vaccine."**




Figure 17 - shows an organic (Carbon-Oxygen-Nitrogen) aggregate with embedded nanoparticles of bismuth, titanium. vanadium. iron, copper, silicon, aluminum embedded in Pfizer "vaccine!"




Figure 18 - shows an organic (Carbon-Oxygen-Nitrogen) aggregate with embedded nanoparticles of bismuth, titanium. vanadium. iron, copper, silicon, aluminum embedded in Pfizer "vaccine!"

The Astrazeneca "Vaccine" Non-disclosed Ingredients

Figures 19 and 20 show an engineered aggregate of iron, chromium and nickel also known as stainless steel of micro and nano particles embedded and identified in the **Astrazeneca "vaccine"** viewed under Transmission Electron Microscopy (TEM) and quantified with an x-ray microprobe of an Energy Dispersive System that reveals the chemical nature of the observed micro and nano particulates and their morphology.




Figure 19 - Engineered aggregate of iron, chromium and nickel also know as stainless steel.




Figure 20 shows the quantified namo particulates in the Astrazeneca "vaccine" with an x-ray microprobe of an Energy Dispersive System that reveals the chemical nature of the observed micro and nano particulates.

Using the XRF (X-ray fluorescence) instrument was used to evaluate the adjuvants in the Astrazeneca "vaccine", which identified the following molecules of histidine, sucrose, Polyethylene glycol (PEG) and ethylene alcohol, also contained in the Pfizer and Moderna "vaccines". The results of this test can be seen in Figure 20.[10]

The injection of PEG and Ethylene alcohol are both known as carcinogenic and genotoxic.[10] PEG was the only adjuvant declared on the data sheet listing the ingredients of the **Astrazeneca "vaccine"** but contained in the Pfizer and Moderna "vaccines".




Figure 21 Identifies the Spectrum of AstraZeneca Vaccine Adjuvants. Different colors are used for the four molecules identified by means of reference spectra. Relative concentration is calculated on integrals of



<u>Figures 22 and 23</u> shows an organic-inorganic aggregate identified in the Janssen "vaccine". The particles are composed of stainless steel and are glued together with a "Carbon-based glue" of reduced graphene oxide.[11] This aggregate is highly magnetic and can trigger pathological blood coagulation and "The Corona Effect" or "The Spike Protein Effect" creation from the degeneration of the cell membrane due to interactions with other dipoles.[11] You can view these biological reactions or cellular transformations in the live blood under pHase Contrast and Dark Field Microscopy in Figures 24, 25 and 26.[1][12]




Figure 22 A Stainless Steel Aggregation of Carbon , Oxygen, Iron and Nickel Held Together With Graphene Oxide




Figure 23 Shows Elements of of Carbon , Oxygen, Iron and Nickel Held Together With Graphene Oxide.

The Corona Effect and Spike Protein Effect

The Endogenously Created "Corona Effect" and "Spike Protein" ARE Caused by Chemical and Radiation Poisoning from Reduced Graphene Oxide and Microwave Radiation! [12]




Figure 24 "The Corona Effect" and the Endogenous Creation of Exosomes Due to Chemical and Radiation Poisoning of the Vascular and the Interstitial fluids of the Interstitium






Figure 25 Shows "The Corona Effect" and the the Endogenous Birth of S1 Protein Spikes Caused by Radiation and Chemical Poisoning or What I Call The "Protein Spiking Effect"




Figure 26 This Micrograph Shows the Endogenous Creation of the "Spike Protein" as an Outfection and NOT and Infection!

<u>Figures 24 and 25</u> above show 'The CORONA EFFECT' on the red blood cells with <u>Figure 26</u> showing 'The SPIKED PROTEIN EFFECT' both caused by decompensated acidosis of the interstitial and then vascular fluids from an acidic lifestyle and specifically, exposure to toxic pulsating electromagnetic fields at 2.4gHz or higher, chemical poisoning

Blog

Dr. Robert O. Young ia Events Case Studies Contact Scientific Posts

Iaden Cov - 19 Inoculation! Please check your teelings and false beliefs at the door before YOU prematurely cause YOURSELF harm![12]

The Moderna "Vaccine" Non-Disclosed Ingredients

Figure 26 and 27 identified a mixed entity of organic and inorganic matter contained in the Moderna "vaccine." Transmission Electron Microscopy (TMS) and quantified with an x-ray microprobe of an Energy Dispersive System (EDS) revealed the chemical nature of the observed micro and nano particulates.

The so-called Moderna "vaccine' is a carbon-based Reduced Graphene Oxide substrate where some nanoparticles are embedded. The nanoparticles are composed of carbon, nitrogen, oxygen, aluminum, copper, iron and chlorine.[13]




Figure 26 Transmission Electron Microscopy Reveals a Graphene Oxide Composite of Embedded Organic and Non-Organic Matter





Figure 27 Reveals Embedded Cytotoxic Nano Particulates

Figures 27 and 28 shows an analysis which was also performed under Transmission Electron Microscopy (TEM) and quantified with an x-ray microprobe of an Energy Dispersive System (EDS) and revealed the chemical nature of the observed micro and nano particulates. Many foreign bodies were identified with a spherical morphology with some bubble-shaped cavities.

Figure 29 shows they are composed of carbon, nitrogen, oxygen, silicon, lead, cadmium, and selenium. This highly toxic nano particulate composition are quantum dots of cadmium selenide which are cytotoxic and genotoxic.[14] [15]






Figure 28 Reveals the Nano Dots in the Graphene Oxide Found in the Moderna "Vaccine"




Figure 29 Reveals the Cytotoxic and Genotoxic Composite of Nano Particulates in Graphene Oxide Found in the Moderna "Vaccine"

Figures 30 and 31 further analysis of the so-called Moderna "vaccine" showed a 100-micron symplast of reduced graphene oxide nano particulate composite. The rGO is composed of carbon and oxygen with contamination of nano particulates of nitrogen, silicon, phosphorus and chlorine Chlorine.[16]




Figure 30 Transmission Electron Microscopy Reveals a Large 100 micron Symplast Composite of Reduces Graphene Oxide




Figure 31 Reveals the Nano Particulate Complex Contained in the Moderna "Vaccine"

Figures 32 and 33 show carbon-based reduced graphene oxdie entities in the Moderna "vaccine" mixed with aggregates filled with Aluminium silicate nanoparticulates. [17]




Figure 32 Reveals a Complex of Graphene Oxide and Aluminium Silicate Using Transmission Electron Microscopy




Figure 33 Reveals the Nano Elements of Graphene Oxide and Aluminum Silicate Contained in the Moderna "Vaccine"

Discussion

The SARS-CoVid-2-19 pandemic induced the pharmaceutical industries to develop new drugs that they called vaccines.

The mechanism of action of these new drugs as declared by the pharmaceutical industry coupled with what is reported in the vaccine products' data sheet is NOT clear for current medical savants to understand that those new drugs produced by **Pfizer-BioNTech mRNA Vaccine**, the **Moderna-Lonza mRNA-1273 Vaccine**, the **Serum Institute Oxford Astrazeneca Vaccine** and the *Janssen* COVID -19 *Vaccine*, manufactured by *Janssen* Biotech Inc., a *Janssen* Pharmaceutical Company of *Johnson & Johnson* are **NOT** vaccines but nanotechnological drugs working as a genetic therapy.

The name "vaccine" is likely to be an escamotage (trickery) used for bureaucratic and technocratic reasons in order to receive an urgent approval, ignoring all the normal rules necessary for new drugs, especially for those involving novel nanotechnological mechanisms which have never been developed nor experienced by humans any where, at any time in the history of World.

All these so-called "vaccines" are patented and therefore their actual content is kept secret even to the buyers, who, of

receiving in their bodies by inoculation. Humanity is kept in the dark as far as the nano particulate technological processes involved are concerning, on the negative effects on the cells of the body, but mostly on the possible magneticotoxic, cytotoxic and genotoxic nano-bio-interaction effect on the blood and body cells.

This current research study via direct analysis on the aforementioned so-called "vaccines" by means of nano particulate technological instrumentation reveals disturbing and life-altering information concerning the truth about the actual toxic acidic contents of the so-called vaccines.



The vaccines for SARS CoVid-2 or also renamed as CoVid-19 have been fast tracked from 10 years to 1 year. It is important for us all to be aware that the clinical trials of these so-called "vaccines" or "gene therapy" inoculations do not finish until 2023!!

The Pfizer, Moderna, Astrazeneca and Janssen drugs are **NOT** "vaccines" but complexed Graphene Oxide nano particulate aggregates of varying nano elements attached to genetically modified nucleic acids of mRNA from animal or vero cells and aborted human fetal cells as viewed and

genotoxic to plant, insect, bird, animal and human cell membranes and their genetics which already has lead to serious injuries (estimated at over 500 million) and/or eventual death (estimated at over 35 million).[17][18] through [55]

The so-called "experts" or "medical savants" are telling YOU that CoV -2 - 19 vaccines are the ONLY way to stop the spread of CoV-19... even when there is NO EVIDENCE of its existence and NO EVIDENCE of it spreading as determined by the scientific method of Koch or Rivers postulates![54]

Koch vs Rivers

Koch (1884)

- The microorganism found in the ill but not the healthy
- The microorganism must be isolated from a diseased organism and grown in pure culture.
- Produce same disease in host
- 4. Re-isolation of microorganism

Rivers (1937)


- Isolation of virus from diseased host
- 2. Cultivation of virus in host cells
- 3. Proof of filterability
- Produce same disease in host
- 5. Re-isolation of virus
- 6. Detection of a specific immune response to virus

Dismantling the Viral Theory

That they're safe – despite the documented evidence is to the contrary...[54]

That they're effective – even though millions of "doublejabbed" people are getting sick, theoretically exposing

trom the FEAK or talse evidence appearing real and the toxic acid contents of reduced graphene oxide delivered via the genetically modified mRNA to specific targets of the human body leading to pathological blood coagulation, oxygen deprivation, hypercapnia, hypoxia and then death by suffocation.[56][57][58]



Phase Contrast Micrograph 2 - Erythrocytic Fibrin Net Indicating Disseminated Intravascular Coagulation - DIC

Disseminated Intravascular Coagulation (DIC) or Pathological Blood Coagulation.[57][58]

That YOU MUST get at LEAST two shots PLUS "boosters" to live "normal lives"...

And soon, they'll be telling YOU that YOU have no choice but to comply with ALL their MANdates even when the CDC and other Governments, Universities and Medical Institutes have admitted in writing that they have NO "GOLD



ia Events Co

There is NO CORONA VIRUS and NEVER HAS BEEN![56]

Remember ...

Dr. Robert O. Young

DON'T LET ANYONE TAKE AWAY YOUR HEALTH FREEDOM!

It is YOUR Body, YOUR Life and YOUR Choice!

Knowledge is power. And it's the key to understanding why the experimental CoV -19 vaccines are so dangerous — despite the corporate media's official narrative that suppresses and censors anyone who dares to speak out.

You are in control of your own health. Don't fall victim to global governments and bureaucrats that are pushing everyone to get vaccinated. Billionaire "philanthropist" Bill Gates and billionaire Big Tech activists think they know what's best for you and your family.



You must be free to decide what's right for you. Do NOT let governments and employers force you into getting "vaxxed"



Events Case Studies

ia


Scientific Posts Blog

up for your rights!

In the words of the great French doctor and scientist, Antione BeChamp, "there is nothing so false that does NOT contain a element of truth and so it is with the germ theory." In this case the viral, vaccine and immunity theory![59]


The Law of Change Doctrine of Pleomorphism

- > Antoine BeChamp (1816-1908)
- Microzyma Theory
- Germs are born in us
- Father of Pleomorphism
- Many Forms Many Functions
- Germs are transmutations of organized healthy cells
- > Germs do not cause disease
- > Disease comes from within
- Germs are nothing the Terrain is everything
- > Discovered Fermentation
- Contextual Scientist



To learn more about viruses, vaccines and the viral theory please read and study, A Second Though About Viruses, Vaccines and the HIV AIDS Hypothesis. You can order this book at:

https://www.phmiracleproducts.com/collections/booksaudio-video/products/second-thoughts-about-virusesvaccines-and-the-hiv-aids-hypothesis-booklet



Read and Learn More About Viruses, Vaccines and the Viral Theory in the Following Scientific Articles![60][61][62]




Robert O Young MSc, DSc, PhD, Naturopathic Practitioner

1. Scanning & Transmission Electron Microscopy Results Revealing Graphene Oxide in CoV-19 Vaccines - An Interview with Dr. Robert O. Young.

Absolutely bombshell and major reveals on what is in the vaccines, with use of electron and other kinds of microscopy from original research by Dr. Robert Young and his team, confirming what the La Quinta Columna researchers found—

revelation: please stay tuned for a major article reporting this at ECC, meanwhile please share this video widely!

https://www.bitchute.com/video/Z2sAH0Woz38r/



https://rumble.com/vlonug-electron-microscopy-revealsgraphene-oxide-in-cov-19-vaccines.html



https://odysee.com/@DrRobertYoung:7/MicroscopyEvidenc eofGOinVaccineszoom_0:c? r=DwWt6qy5ACY9nSS1q6nAqSpAYbuZDjWf

2. The Epidemic Curves of the Most Vaccinated Countries https://www.drrobertyoung.com/post/world-health-



ia Events

3. Sweden Is Following the Biological Science NOT the Political Science

https://www.drrobertyoung.com/post/sweden-is-followingthe-biological-science-not-the-political-science

4. What is Happening in India

https://www.drrobertyoung.com/post/what-happened-inindia

5. Surviving the Plague of Corruption

https://www.drrobertyoung.com/post/surviving-the-plagueof-corruption

6. Dismantling the Viral Theory

https://www.drrobertyoung.com/post/dismantling-the-viraltheory


7. Corona on Trial

https://www.drrobertyoung.com/post/corona-on-trialexplosive-and-exclusive

8. The Havana Cuba Syndrome Caused by Directed Pulsating EMF Microwaves

https://www.drrobertyoung.com/post/the-havanasyndrome-pulsating-microwaves





9. CDC NOW Admits NO 'Gold Standard' for the Isolation for ANY Virus! - <u>https://www.drrobertyoung.com/post/cdc-now-admits-no-gold-standard-for-the-isolation-for-any-virus?</u> postId=60c4dbc74f7fc9002ba2507e



10. Freedom of Information Responses on CoV - 2 Now Called CoV - 19 -

https://www.drrobertyoung.com/post/freedom-ofinformation-responses-on-cov-2

11. Why Viruses Do Not Exist! https://www.drrobertyoung.com/post/why-viruses-do-notexist



12. Report 255 | Dr. Robert Young: All Disease is Outfection Not Infection–Vaccine Nano is Bioweapon! https://www.bitchute.com/video/rdQhuY455VmK


13. Report 255 | Dr. Robert Young: All Disease is Outfection, not Infection | The Vaccine's Lipid Nanoparticles with Graphene Plus Radiation is the Bioweapon–No COVID Virus Exists!

https://www.brighteon.com/250210af-c8a3-47a1-8922c960342fe2fb


14. Report 255 | Dr. Robert Young: All Disease is Outfection Not Infection-Vaccine Nano is Bioweapon! <u>https://odysee.com/@RamolaDReports:8/Report-255-Dr.-</u> <u>Robert-Young-Explains-Disease-by-Outfection,-Lipid-</u> <u>Nanoparticles-with-Graphene-the:4</u>

15. Forget Everything Else! Look at THE VAER's NUMBERS on Injuries and Deaths!

https://www.drrobertyoung.com/post/forget-everythingelse-you-ve-heard-just-look-at-the-numbers



16. Dr. Robert O. Young ITNJ Testimony



Sign up for Dr. Young's FREE Newsletter NOW at: www.drrobertyoung.com

17. Updated PDF file of this article:



GrapheneOxideVaccinePaperUpdated3.pdf Download PDF • 4.47MB

 \downarrow

Dr. Robert O. Young ia Events Case Studies

[1] Ou, L., Song, B., Liang, H. *et al.* Toxicity of graphenefamily nanoparticles: a general review of the origins and mechanisms. *Part Fibre Toxicol***13**, 57 (2016). <u>https://doi.org/10.1186/s12989-016-0168-y</u>

[2] Young RO (2016) Pathological Blood Coagulation and the Mycotoxic Oxidative Stress Test (MOST). Int J Vaccines Vaccin 2(6): 00048. DOI: 10.15406/ijvv.2016.02.00048

[3] Xu et al, (2019) Identification of graphene oxide and its structural features in solvents by optical microscopy, RSC Adv., 9, 18559-18564

1-Extracction RNA Kit https://www.fishersci.es/shop/products/ambion-purelinkrna-mini-kit7/10307963

2- NanoDrop™ https://www.thermofisher.com/order/catalog/product/ND-2000#/ND-2000

3- QUBIT2.0:

https://www.thermofisher.com/es/es/home/references/ne wsletters-andjournals/bioprobes-journal-of-cell-biologyapplications/bioprobes-issues-2011/bioprobes-64april2011/the-qubit-2-0-fluorometer-april-2011.html

[4] Muestra RD1, La Quinta Columna Report, June 28,2021; Graphene Oxide Detection in Aqueous Suspension;Delgado Martin, Campra Madrid.



/UZI, https://doi.org/IU.IUI0/3I309-/UZI(IUJ/UU3I-0

[6] Bano, I. et al , 2019. Exploring the fluorescence properties of reduced graphene oxide with tunable device performance,Diamond and Related Materials,Volume 94,59-64,ISSN 0925-

9635,https://doi.org/10.1016/j.diamond.2019.02.021.

 [7] Biroju, Ravi & Narayanan, Tharangattu & Vineesh, Thazhe Veettil. (2018). New advances in 2D electrochemistry—Catalysis and Sensing.
 10.1201/9781315152042-7.

[8] Choucair, M., Thordarson, P. & Stride, J. Gram-scale production of graphene based on solvothermal synthesis and sonication. Nature Nanotech 4, 30–33 (2009). https://doi.org/10.1038/nnano.2008.365

[9] Atlas of Human Parasitology, 4th Edition, Lawrence Ash and Thomas Orithel, pages 174 to 178

[10] Mano, S.S.; Kanehira, K.; Sonezaki, S.; Taniguchi, A. Effect of Polyethylene Glycol Modification of TiO2 Nanoparticles on Cytotoxicity and Gene Expressions in Human Cell Lines. *Int. J. Mol. Sci.*2012, *13*, 3703-3717. <u>https://doi.org/10.3390/ijms13033703</u>

[11] Srivastava AK, Dwivedi N, Dhand C, et al. Potential of graphene-based materials to combat COVID-19: properties, perspectives, and prospects. *Mater Today Chem.*2020;18:100385. doi:10.1016/j.mtchem.2020.100385

<u>https://www.arrobertyoung.com/post/the-ettects-</u> <u>electromagnet-frequencies-on-the-blood-and-biological-terrain</u>

[13] Gatti AM, Manti A, Valentini L, Montanari S, Gobbi P, et al. (2016) Nano biointeraction of particulate matter in the blood circulation. Frontiers 30: 3.

[14] Nikazar, S., Sivasankarapillai, V.S., Rahdar, A. *et al.* Revisiting the cytotoxicity of quantum dots: an in-depth overview. *Biophys Rev* 12, 703–718 (2020). https://doi.org/10.1007/s12551-020-00653-0

[15] Ritesh Banerjee, Priya Goswami, Manoswini Chakrabarti, Debolina Chakraborty, Amitava Mukherjee, Anita Mukherjee, Cadmium selenide (CdSe) quantum dots cause genotoxicity and oxidative stress in Allium cepa plants, Mutation Research/Genetic Toxicology and Environmental Mutagenesis, Volume 865, 2021, 503338,ISSN 1383-5718, <u>https://doi.org/10.1016/j.mrgentox.2021.503338.</u>

[16] Wanjun Cao, Lin He, Weidong Cao, Xiaobing Huang, Kun Jia, Jingying Dai, Recent progress of graphene oxide as a potential vaccine carrier and adjuvant, Acta Biomaterialia, Volume 112, 2020, Pages 14-28, ISSN 1742-7061, <u>https://doi.org/10.1016/j.actbio.2020.06.009.</u> (<u>https://www.sciencedirect.com/science/article/pii/S1742</u> 706120303305)

[17] Concise Encyclopedia of Composite Materials, ed. Anthony Kelly, MIT Press, 1989, ISBN 0-262-11145-4

Characterization, loxicity and Biocompatibility, Pharmaceutical and Biomedical Applications." Chemical Reviews **2012** *112* (11), 5818-5878 DOI: 10.1021/cr300068p

[19] US Dpt of health and human services (1996) ReportUpdate: Vaccine Side Effects, Adverse Reactions,Contraindications, and Precautions. CDC 45(RR-12): 1-35.

[20] Ottaviani G, Lavezzi AM, Matturri L (2006) Sudden infant death syndrome (SIDS) shortly after hexavalent vaccination: pathology in suspected SIDS? Virchows Arch 448(1): 100-104.

[21] Taylor B, Miller E, Farrington CP, Petropoulos MC, Favot-Mayaud I, et al. (1999) Autism and measles, mumps, and rubella vaccine: no epidemiological evidence for a causal association. Lancet 353(9169): 2026-2029.

[22] Demicheli V, Rivetti A, Debalini MG, Di Pietrantonj C (2012) Vaccines for measles, mumps and rubella in children. Cochrane Database Syst Rev 15(2): CD004407. New Quality-Control Investigations on Vaccines: Micro- and Nanocontamination 13/13 Copyright: ©2016 Gatti et al. Citation: Gatti AM, Montanari S (2016) New Quality-Control Investigations on Vaccines: Micro- and Nanocontamination. Int J Vaccines Vaccin 4(1): 00072. DOI: 10.15406/ijvv.2017.04.00072

[23] Carola Bardage, Ingemar Persson, Åke Örtqvist, Ulf Bergman, Jonas F Ludvigsson, et al. (2011) Neurological and autoimmune disorders after vaccination against Dr. Robert O. Young

ert O. Young la Events Case Studies Contact Scientific Posts Blog

Stockholm, Sweden. B/VU 343: d3930.

[24] Johann Liang R (2012) Updating the Vaccine Injury Table following the 2011 IOM Report on Adverse Effects of vaccines. HRSA, pp. 1-27.

[25] L Tomljenovic, CA Shaw (2011) Aluminum Vaccine Adjuvants: Are they Safe? Current Medicinal Chemistry 18(17): 2630-2637.

[26] Shaw CA, Petrik MS (2009) Aluminum hydroxide injections lead to motor deficits and motor neuron degeneration. J Inorg Biochem 103(11): 1555-1562.

[27] Authier FJ, Sauvat S, Christov C, Chariot P, Raisbeck G, et al. (2006) AlOH3-adjuvanted vaccine-induced macrophagic myofasciitis in rats is influenced by the genetic background. Neuromuscul Disord 16(5): 347-352.

[28] Exley C, Esiri MM (2006) Severe cerebral congophilic angiopathy coincident with increased brain aluminium in a resident of Camelford, Cornwall, UK. J Neurol Neurosurg Psychiatry 77(7): 877-879.

[29] Wills MR, Savory J (1985) Water content of aluminium, dialysis dementia, and osteomalacia. Environ Health Perspect 63: 141-147.

[30] Brinth L, Pors K, Theibel AC, Mehlsen J (2015) Suspected side effects to the quadrivalent human papilloma vaccine. Danish Medical J 62(4): 1-12.

aysautonomic synaromes after HPV vaccination: case series and review of literature. Immunol Res.

[32] Visani G, Manti A, Valentini L, Canonico B, Loscocco F, et al. (2016) Environmental nanoparticles are significantly over-expressed in acute myeloid leukemia. Leuk Res 50: 50-56.

[33] Artoni E, Sighinolfi GL, Gatti AM, Sebastiani M, Colaci M, et al. (2016) Micro and nanoparticles as possible pathogenetic co-factors in mixed cryoglobulinemia.Occupational Medicine.

[34] T Hansen, L Klimek, F Bittinger, I Hansen, A Gatti, et al. (2008) Mast cell reiches Aluminium granuloma Pathologe 29(4): 311-313.

[35] Gatti AM, Manti A, Valentini L, Montanari S, Gobbi P, et al. (2016) Nano biointeraction of particulate matter in the blood circulation. Frontiers 30: 3.

[36] Tenzer S, Docter D, Rosfa S, Wlodarski A, Kuharev J, et al. (2011) Nanoparticle size is a critical physicochemical determinant of the human blood plasma corona: a comprehensive quantitative proteomic analysis. ACS Nano 5(9): 7155-167.

[**37**] Radauer Preiml , Andosch A, Hawranek T, Luetz-Meindl U, Wiederstein M, et al. (2015) Nanoparticle-allergen interactions mediate human allergic responses: protein corona characterization and cellular responses. Fibre toxicology 13: 3.

al. (2010) Understanding the nanoparticle-protein corona using methods to quantify exchange rates and affinities of proteins for nanoparticles. PNAS 104 (7): 2050-2055.

[39] Lynch I, Cedervall T, Lundqvist M, Cabaleiro-Lago C, Linse S, et al. (2007) The nanoparticle-protein complex as a biological entity; a complex fluids and surface science challenge for the 21st century. Advances in Colloid and Interface Science 134-135: 167-174.

[40] Gatti AM, Quaglino D, Sighinolfi GL (2009) AMorphological Approach to Monitor the Nanoparticle-CellInteraction. International Journal of Imaging and Robotics 2: 2-21.

[41] Urban RM, Jacobs JJ, Gilbert JL, Galante JO (1994) Migration of corrosion products from modular hip prostheses. Particle microanalysis and histopathological findings. The Journal of Bone and Joint Surgery 76(9): 1345-1359.

[42] Kirkpatrick CJ, Barth S, Gerdes T, Krump-Konvalinkova V, Peters (K 2002) Pathomechanisms of impaired wound healing by metallic corrosion products. Mund Kiefer Gesichtschir 6(3): 183-190.

[43] Lee SH, Brennan FR, Jacobs JJ, Urban RM, Ragasa DR, et al. (1997) Human monocyte/macrophage response to cobalt-chromium corrosion products and titanium particles in patients with total joint replacements. J Orthop Res 15(1): 40-49.

Systems: Implications for Neurological Disease. Journal of Toxicology 2014: 491316.

[45] Shaw CA, Kette SD, Davidson RM, Seneff S (2013) Aluminum[™]s Role in CNS-immune System Interactions leading to Neurological Disorders. Immunome Research 9: 069.

[46] Seneff S, Swanson N, Chen Li (2015) Aluminum and Glyphosate Can Synergistically Induce Pineal Gland Pathology: Connection to Gut Dysbiosis and Neurological Disease. Agricultural Sciences 6(1): 42-70.

[47] Pegaz B, Debefve E, Ballini JP, Konan-Kouakou YN, van den Bergh HJ (2006) Effect of nanoparticle size on the extravasations and the photothrombic activity of meso(ptetracarboxyphenyl)porphyrin. J Photochem Photobiol B 85(3): 216-222.

[48] Brinth LS, Pors K, Hoppe AG, Badreldin I, Mehlsen J (2015) Is Chronic Fatigue Syndrome/Myalgic Encephalomyelitis a Relevant Diagnosis in Patients with Suspected Side Effects to Human Papilloma Virus Vaccine? International Journal of Vaccines and Vaccination 1(1):1-5.

[49] Moos WH, Faller DV, Harpp DN, Kanara I, Pernokas J, et al. (2016) Microbiota and Neurological Disorders: A Gut Feeling. Biores Open Access 5(1): 137-145.

[50] Sekirov I, Russell SL, Caetano L, Antunes M, Brett (2010) Gut Microbiota in Health and Disease. Physiological Rev 90(3): 859-904.

neurologic diseases: potential effects of probiotics. J Iransi Med 14(1): 298.

[52] Kinoshita T, Abe RT, Hineno A, Tsunekawa K, Nakane S, et al. (2014) Peripheral sympathetic nerve dysfunction in adolescent Japanese girls following immunization with the human papillomavirus vaccine. Intern Med 53(19): 2185-2200.

[53] Zhang L, Richards A, Khalil A, Wogram E, Ma H,
Young RA, Jaenisch R. SARS-CoV-2 RNA reverse-transcribed and integrated into the human genome. bioRxiv [Preprint].
2020 Dec 13:2020.12.12.422516. doi: 10.1101/2020.12.12.422516. PMID: 33330870;
PMCID: PMC7743078.

[54] Young, RO, "Forget Everything Else! Look at THE VAER's NUMBERS on Injuries and Deaths!." <u>https://www.drrobertyoung.com/post/forget-everything-</u> <u>else-you-ve-heard-just-look-at-the-numbers5</u>

[55] Young, RO, "CDC NOW Admits NO 'Gold Standard' for the Isolation for ANY Virus!" <u>https://www.drrobertyoung.com/post/cdc-now-admits-no-</u> gold-standard-for-the-isolation-for-any-virus

[56] Young, RO, "The Genesis of Severe Acute Respiratory (Syndrome) or SARS & Corona Virus or COVID - 19." <u>https://www.drrobertyoung.com/post/the-genesis-of-severe-</u> <u>acute-respiratory-syndrome-or-sars-corona-virus-or-covid-19</u>

<u>https://www.arrobertyoung.com/post/what-causes-oxygen-</u> <u>deprivation</u>

[58] Young RO, Migalko G (2020) What Causes Oxygen Deprivation of the Blood(DIC) and Then Lungs(SARS - CoV 2 & 12)?. Integ Mol Bio Biotechnol 1: 001-007. http://sciaeon.org/articles/What-Causes-Oxygen-Deprivation-of-the-Blood-DIC-and-Then-Lungs-SARS-CoV2and12.pdf

[59] Young RO (2016) Who Had Their Finger on the Magic of Life - Antoine Bechamp or Louis Pasteur?. Int J Vaccines Vaccin 2(5): 00047. DOI: 10.15406/ijvv.2016.02.00047

[60] Young RO (2016) Second Thoughts about Viruses, Vaccines, and the HIV/AIDS Hypothesis - Part 1. Int J Vaccines Vaccin 2(3): 00032. DOI: 10.15406/ijvv.2016.02.00032

https://medcraveonline.com/UVV/second-thoughts-aboutviruses-vaccines-and-the-hiv-aids-hypothesis-part-1.html

[61] Young RO (2016) Second Thoughts Concerning Viruses, Vaccines and the HIV/AIDS Hypothesis - Part 2. Int J Vaccines Vaccin 2(3): 00034. DOI:

10.15406/ijvv.2016.02.00034

https://medcraveonline.com/UVV/second-thoughtsconcerning-viruses-vaccines-and-the-hivaids-hypothesis—part-2.html

[62] Young RO (2016) Second Thoughts Concerning Viruses, Vaccines and the HIV/AIDS Hypothesis - Part 3 HIV/AIDS and the Monomorphic Disease Model. Int J



nttps://meacraveoniine.com/uvv/secona-tnougntsconcerning-viruses-vaccines-and-the-hivaids-hypothesis—part-3-hivaids-and-the-monomorphic-disease-model.html

Here is the pdf file for the above article for which you can share with everyone you love and care about:



GrapheneOxideVaccinePaperUpdated3.pdf Download PDF • 4.47MB



499,103 views 136 comments

68 💙

 \downarrow







Recent Posts

See All

